

W-08-23-0883




: HCTAYZ-50-22

: 7/8

:

:





7/8

105

105

50

HCTAYZ-50-22

7/8

HCTAYZ-50-22 7/8

2022 1 1 -2022 12 31

武汉网锐检测 1467 kg CO₂-eq

ISO 14040: 2006





1.	3
2.	3
3.	3
4.	4
4.1	4
4.2	4
4.3	4
4.4	4
4.4.1	4
4.4.2	5
5.	5
5.1	5
5.2	6
5.3	6
5.3	7
6.	7
6.1	7
6.1.1	cut-of	7
6.1.2	7
6.2	8
6.2.1	cut-of	8
6.2.2	8
6.3	8
7	8
7.1	9
7.2	9
7.2.1	9
7.2.2	10
7.3	10
8	11
8.1	11
8.2	11
8.3	11
8.4	11



HCTAYZ-50-22 7/8
"
" IPCC 2021 GWP100
100
IPCC 2006 2019

HCTAYZ-50-22 7/8



4.1

100~5800MHz

4.2


HCTAYZ-50-22 7/8

YD/T 1092-2013

4.3

4.4

4.4.1





4.4.2



2022 1 1 2022 12

2022



	HDPE		47.25	kg
	LDPE		14.8	kg
			0.95	kg
	JF-G103		0.84	kg
	T2		100	kg
	B		125	kg
			80	kg/km
			18	kg/km

2

		70%30T+30%10T	922	km



Ecoinvent 3

IPCC 2006

2019

()

2

2022 10



6.2

0.5%

6.2.1

cut-of

6.2.2

6.3


2019

GWP100


IPCC

7

<hr/>		1467	kgCO ₂ -eq
Crimpi ng		484	
Foami ng		442	
Sheath		306	
Inspecti on and packagi ng		164	
Upstream transportati on		69	
Downstream transportati on		2.05	
<hr/>			kgCO ₂ -eq
Sheath material		282	
Copper tube		287	
Foam polyethylene		131	
Copper strip		479	



1



2

7.2


7.2.1



cut-of

7.2.2

IPCC 2021 GWP100 V1.01



3

-

GWP100

1469 kg CO₂-eq

43.4

1467 kg CO₂-eq
2.96%

95%

